


FIBER OPTIC ACCESSORIES

SPLICE TRAY 12 CORE



FEATURES

- ABS material used ensures the body strong and light
- The fusing distribution board of the unit box is double layer structure, integrating the fusing and distribution into one unity.
- 12-fiber splice trays
- Protect and manage heat shrink style spliced fibers
- Heat shrink splice holder and sleeves included
- Clear cover allows viewing or inspection of fibers without having to remove cover
- Use for single-mode or multimode fiber
- Durable injection-molded plastic trays and covers
- Longer bending radius for fiber, Easy operation of fiber/pigtails
- Easily disposed for particular needs
- Suitable for ribbon or non-ribbon optical fiber cable



DESCRIPTION

Splice tray is used in optical distribution frame, distribution box, and splice closures, which is engineered for use with indoor or outdoor splice hardware with both loose tube and tight-buffered optical cable designs. The compact splice cassettes designed for simple, cost effective low and mid-sized fiber splicing applications. Each cassette is supplied with splice holders that secure and protect both fusion and mechanical splices; also the top cover is included.

DIMENSIONS AND CAPABILITY

| | |
|-----------------------------|----------------------------------------------|
| Dimensions (W*H*D) | 170mm*105mm*11mm per unit |
| Capacity | 12 cores per unit |
| Optional Accessories | Heat Shrink Tubes, Heat Shrink Splice Holder |
| Max diameter of entry cable | 16.5mm |
| Weight | 0.075 KG per unit |

OPERATION CONDITIONS

| | |
|----------------------|-------------------------------------------------|
| Temperature | -40°C ~ 55°C |
| Sealing performance | Remain unchanged for 72 hours on pressure 70kpa |
| Air Pressure | 70kPa – 106kPa |
| Tensile Strength | >1000N |
| Compressive Strength | Withstand 2000N/10Cm ² in 1min |

SHIPPING INFORMATION

| | |
|---------------------------|--------------------------------------------------------|
| Package Contents | Splice Tray Base with Splice Holder; Splice Tray Cover |
| Package Dimensions(W*H*D) | 220mm*150mm*60mm per unit |
| Material | Carton box |
| Weight | 0.5 KG per unit |
| Lead Time | 10-15 working days normally |

ORDER INFORMATION

| PRODUCT | PART NUMBER |
|----------------------|-------------|
| Splice Tray 12 Cores | F-Tray-12 |