FTTA CABLE PRODUCT

FTTA Indoor/Outdoor cable Armored 2*2.0mm. Steel Armored



PRODUCT DESCRIPTION


Indoor/Outdoor Cable used as the optical tranmission medium with 2.0mm suubcable, a layer of aramid yarn is placed outside the compact fiber to enhance the element, Protected by Steel corrugation tape, and the cable is completed with outside jacket. (PE or other materials according to customer's requirements).

FEATURES

- Good mechanical and temperature characteristics.
- Good lateral compression and flexibility.
- Small diameter, light weight, easy to connect, and support large capacity data transmission.
- Mini armored layer used to decrease the outer diameter and cable weight, also convenient for laying and splice.
- Outer jacket material has the advantages of water proof, flame retardant, environmental protection.

APPLICATION

- Remote base station communication such as RRU or BBU.
- Smart substation and CATV Outdoor application.
- Emergency access to optical fiber communication.
- For optical communication equipment room, light distribution frame connection.



TECHNICAL PARAMETERS

| OD (mm) | Nominal Weight (kg/km) | Tensile Strength (N) | | Crush resistance (N/100mm) | | Bending Radius (MM) | | Storage/ Working temperature (°C) |
|---------|------------------------|----------------------|-----------|----------------------------|-----------|---------------------|-----------|--------------------------------------|
| | | short term | long term | short term | long term | short term | long term | |
| 8.5±0.2 | 75.0 | 1000 | 500 | 1200 | 300 | 20D | 15D | -40 ~ +70 |

ORDER INFOMATION

| PRODUCT | PART NUMBER |
|--|---------------|
| FTTA Indoor/Outdoor cable Armored 2*2.0mm. Steel Armored | F-FTTA-I/OA-B |









12 Soi Sukhaphiban 5 Soi 5 Yaek 3, Tha Raeng Subdistrict, Bang Khen District Bangkok 10220

Email: info@focomm-cabling.com www.focomm-cabling.com